

### **User Analysis Computing at CDF**


### **Frank Wurthwein**

MIT/UCSD/FNAL-CD for the CDF Collaboration

- Computing Model
  - > status
  - Future directions



# **CDF DAQ/Analysis Flow**



(~250 duals)

Frank Wurthwein

**Tape Storage** 



Recon



**Production Farm** (~150 duals)



**Analysis** Data



**Central Analysis Farm** (CAF)

(~300 duals)

# **Data/Software Characteristics**

### **Data Characteristics:**


- > Root I/O: ~80-400 kB/event (configurable content)
- 'Standard' ntuple: 5-10 kB/event
- Typical Runlla secondary dataset size: 10<sup>7</sup> events
- Winter03 physics: ~100 datasets adding up to ~50TB
- Largest dataset for Winter03 physics: 3.5e7 evts

### **Analysis Software:**

- Typical analysis jobs run @ 5 Hz on 1 GHz P3
  - → few MB/sec
- CPU rather than I/O bound (FastEthernet)



# **Computing Requirements**



#### Requirements set by goal:

200 simultaneous users to analyze secondary data set (10<sup>7</sup> evts) in a day

### Need ~700 TB of disk and ~5 THz of CPU by end of FY'05:

- $\rightarrow$  need lots of disk $\rightarrow$  need cheap disk  $\rightarrow$  IDE Raid
- ightarrow need lots of CPUightarrow commodity CPU ightarrow dual Intel/AMD



# **Computing Model**

### **Interactive Computing on desktop:**

Complete access to all data from desktop via dCache & rootd

### **Batch Computing on "remote" cluster(s):**


- Binary compatible with desktop
- > qsub, qstat, kill, ls, tail, top via command line/web
- Large scale parallelisation with single submission
  - → Single summary email upon completion
- User scratch space inside cluster
  - → Krb5 ticket created @ launch time
- Data access Winter03: 90% NFS+rootd, 10% dCache



# Example job submission

Compile, build, debug analysis job on 'desktop'

Fill in appropriate fields& submit job



Retrieve output using kerberized FTP tools ... or write output directly to 'desktop'!

# Web Monitoring of User Queues

Each user a different queue

**Process type** for job length

test: 5 mins

short: 2 hrs


medium: 6 hrs


long: 2 days


This example:


1 job  $\rightarrow$  11 sections

(+ 1 additional section automatic for job cleanup)









tape robot

cache

Terabyte File Servers

# **CAF Hardware Architecture**

interactive




### **CAF** utilization

### **User perspective:**

- > 10,000 jobs launched/day
- > 400 users total
- > 100 users per day


### **System perspective:**

- Up to 90% avg CPU utilization
- > 200-600MB/sec I/O
- Failure rate ~1/2000
- > Avg uptime of WN = 60days





### **CAF** utilization last month





# **Status @ FNAL Today**

User analysis computing based on commodity PC's

180TB disk space 1THz batch CPU


Focus on building strong infrastructure

up to 600MB/sec I/O 99.95% reliability

that has been deployed as part of CDF grid "proof of principle" for SC2002 demo.



### **Future Directions**





# CDF grid = 3 pieces

### CAF:

- Local cluster management
- Remote submission
- Fully in production: 99.95% reliability

#### SAM:

- WAN capable DH system
- Use for remote MC production in summer 03

### JIM:

- Grid broker (based on condor,globus,sam)
- Proof of principle fall 02



## **Summary & Conclusions**

CDF's computing model makes offsite computing contributions possible.

Offsite contributions, and accounting thereof is desirable.

The devil is in the detail.